

C'BOX box sealers


C'BOX Box sealers

A comprehensive range of equipment with acknowledged reliability

Box sealers designed specifically for closing BIB-type boxes, covering a wide range of formats.

Our box sealers meet the diverse expectations and trends of BIB markets.

In order to guarantee lasting top-quality sealing with tape or glue for your various types of boxes: slim, cubic, 8-panel, with overlapping flaps, unvarnished kraft quality, fully laminated, etc.



OUR BOX SEALER SOLUTIONS:

Speeds: in boxes/hour, TOP 900, 1080, 2000, ... up to 3900 boxes/hour.

Box sealing technologies: for American boxes or boxes with overlapping flaps, using bar or side belt conveyors, etc.

Gluing or taping top-only or top-and-bottom

Box formats accepted: from 1.5L to 20L

Connected equipment for remote maintenance

Specific features

THE “PLUSES” OF THE C’BOX RANGE

– A full bag push ram is positioned at the machine infeed.

To guarantee bag integrity when the top flaps of the box are glued and closed.

– The boxes are squared by an adjustable system for halting and holding the box before closing.

– Format change times are optimised. Each recipe stores the specific settings for each box: length and number of lines of height and width settings for belts and feed guides, time delays for the box feed selector, squaring, etc.

– The choice of glue generator (make and model) is left to the customer. The chosen generator will then be integrated into the sealing machine at installation and set-up at the factory in accordance with project specifications.

More info

Print

Video

[Contact us](#)